

PCN: 10360



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Paraformaldehyde 91-93% Prills
Product Use Description : Chemical intermediate

Manufacturer or supplier's details

Company : Nexeo Solutions LLC
Address : 3 Waterway Square Place Suite 1000
Woodlands, Tx. 77380
United States of America

Emergency telephone number:

Health North America: 1-855-NEXEO4U (1-855-639-3648)

Health International: 1-855-NEXEO4U (1-855-639-3648)

Transport North America: CHEMTREC 800.424.9300

Additional Information : Responsible Party: Product Safety Group
E-Mail: msds@nexeosolutions.com
SDS Requests: 1-855-429-2661
SDS Requests Fax: 1-281-500-2370
Website: www.nexeosolutions.com

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable solids : Category 2
Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 4
Skin irritation : Category 2
Serious eye damage : Category 1
Respiratory sensitisation : Category 1
Skin sensitisation : Category 1
Carcinogenicity : Category 1A
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS Label element

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

Hazard pictograms

:



Signal word

: Danger

Hazard statements

: H228 Flammable solid.
H302 + H332 Harmful if swallowed or if inhaled
H315 Causes skin irritation.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H317 May cause an allergic skin reaction.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351 Suspected of causing cancer.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.
P281 Use personal protective equipment as required.
P285 In case of inadequate ventilation wear respiratory protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Potential Health Effects

Carcinogenicity:

| | | |
|--------------|--|--------------|
| IARC | Group 1: Carcinogenic to humans | |
| | 50-00-0 | Formaldehyde |
| ACGIH | No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH. | |
| OSHA | OSHA specifically regulated carcinogen | |
| | 50-00-0 | Formaldehyde |
| NTP | Known to be human carcinogen | |
| | 50-00-0 | Formaldehyde |

Emergency Overview

| | |
|----------------|---------------------------|
| Appearance | solid |
| Colour | white |
| Odour | pungent |
| Hazard Summary | No information available. |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

| CAS-No. | Chemical Name | Concentration (%) |
|------------|------------------|-------------------|
| 30525-89-4 | Paraformaldehyde | 90 - 100 |
| 50-00-0 | Formaldehyde | 0 - 0.1 |

Molecular formula : $\text{HO}(\text{CH}_2\text{O})_n\text{H}$

Synonyms : Paraformaldehyde Prills, 91 - 97 %,

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Call a physician or poison control centre immediately.
If unconscious place in recovery position and seek medical advice.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
Take victim immediately to hospital.

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

SECTION 5. FIREFIGHTING MEASURES

- | | |
|---|--|
| Suitable extinguishing media | : Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : Carbon monoxide Carbon dioxide (CO ₂) |
| Specific extinguishing methods | : Use a water spray to cool fully closed containers. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. |
| Special protective equipment for firefighters | : Wear self-contained breathing apparatus for firefighting if necessary. |

NFPA Flammable and Combustible Liquids Classification:

Combustible Liquid Class IIIA

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | |
|---|---|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. |
| Environmental precautions | : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. |
| Methods and materials | : Contain spillage, and then collect with an electrically |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

for containment and
cleaning up

protected vacuum cleaner or by wet-brushing and
place in container for disposal according to local regu-
lations (see section 13).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid formation of respirable particles.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before
use.
Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in
the application area.
Provide sufficient air exchange and/or exhaust in work
rooms.
Open drum carefully as content may be under pres-
sure.
Dispose of rinse water in accordance with local and
national regulations.
Persons susceptible to skin sensitisation problems or
asthma, allergies, chronic or recurrent respiratory
disease should not be employed in any process in
which this mixture is being used.

Conditions for safe sto- : No smoking.
rage Keep container tightly closed in a dry and well-
ventilated place.
Containers which are opened must be carefully re-
sealed and kept upright to prevent leakage.
Observe label precautions.
Electrical installations / working materials must comp-
ly with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| CAS-No. | Components | Value type (Form of exposure) | Control param- eters / Permissi- ble concentra- tion | Basis |
|---------|--------------|-------------------------------------|---|-----------|
| 50-00-0 | Formaldehyde | C | 0.3 ppm | ACGIH |
| | | TWA | 0.016 ppm | NIOSH REL |
| | | C | 0.1 ppm | NIOSH REL |
| | | TWA | 0.016 ppm | NIOSH REL |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | | | | |
|--|--|---|---------------------------|-----------|
| | | | (Formaldehyde) | |
| | | C | 0.1 ppm (Formaldehyde) | NIOSH REL |

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.
No personal respiratory protective equipment normally required.

Hand protection
Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : solid

Colour : white

Odour : pungent

Odour Threshold : No data available

pH : 4.0 - 5.0 @ 1 % 25 °C (77 °F)

Freezing Point (Melting point/range) : 120 - 170 °C (248 - 338 °F)

Boiling Point (Boiling point/boiling range) : 120 °C (248 °F)
Calculated Phase Transition Liquid/Gas

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | |
|--|--|
| Flash point | : 70 °C (158 °F) |
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : No data available |
| Burning rate | : No data available |
| Upper explosion limit | : 73 %(V) |
| Lower explosion limit | : 7 %(V) |
| Vapour pressure | : 1.9 hPa @ 25 °C (77 °F) |
| Relative vapour density | : 1.03 |
| Relative density | : No data available |
| Density | : 1.46 g/cm ³ @ 15 °C (59 °F) |
| Bulk density | : No data available |
| Solubility(ies) | |
| Water solubility | : hydrolyses |
| Solubility in other sol- vents | : No data available |
| Partition coefficient: n- octanol/water | : No data available |
| Auto-ignition temperature | : 300 °C |
| Thermal decomposition | : No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|---------------------------------------|---|
| Reactivity | : Risk of violent reaction. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Product can undergo hazardous polymerization. Can form potentially explosive peroxides upon long standing in air. |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | |
|----------------------------------|--|
| Conditions to avoid | : Keep away from heat, flame, sparks and other ignition sources. Exposure to air. |
| Incompatible materials | : Oxygen Oxidizing agents Reducing agents Acids Bases Amines |
| Hazardous decomposition products | : Carbon oxides nitrogen oxides Nitric acid Cyanides Nitriles |

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

| | |
|---------------------------|---|
| Acute oral toxicity | : Acute toxicity estimate : 818 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : Acute toxicity estimate : 1.54 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |
| Acute dermal toxicity | : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method |

Components:

30525-89-4:

| | |
|---------------------------|--|
| Acute oral toxicity | : LD50 (rat): 800 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion. |
| Acute inhalation toxicity | : LC50 (rat): 1070 Exposure time: 4 h Assessment: The component/mixture is moderately toxic after short term inhalation. |
| Acute dermal toxicity | : LD Lo (rabbit): 10,000 mg/kg |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

50-00-0:

Acute inhalation toxicity : LC50 : 0.48 mg/l
Exposure time: 4 h
Assessment: The component/mixture is toxic after short term inhalation.

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Components:

30525-89-4:

Species: rabbit
Result: Irritating to skin.

50-00-0:

Species: rabbit
Method: OECD Test Guideline 404
Result: Corrosive after 3 minutes to 1 hour of exposure

Serious eye damage/eye irritation

Product:

Remarks: Risk of serious damage to eyes.

Components:

30525-89-4:

Species: rabbit
Result: Risk of serious damage to eyes.

50-00-0:

Result: Risk of serious damage to eyes.
Remarks: No data available

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Components:

30525-89-4:

Test Type: Maximization test
Species: guinea pig
Result: May cause sensitisation by skin contact.

Result: May cause sensitisation by inhalation.

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

Remarks: No data available

50-00-0:

Test Type: lymph node assay

Species: mouse

Result: May cause sensitisation by skin contact.

Germ cell mutagenicity

Components:

30525-89-4:

Genotoxicity in vitro : Remarks: No data available

Germ cell mutagenicity-
Assessment : Mutagenicity classification not possible from current data

50-00-0:

Genotoxicity in vitro : Test Type: Ames test
Test species: Salmonella typhimurium
Metabolic activation: with and without metabolic activation
Result: positive

Genotoxicity in vivo : Test Type: Chromosome aberration assay in vivo
Test species: mouse
Application Route: Intraperitoneal
Result: negative

Germ cell mutagenicity-
Assessment : In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Components:

30525-89-4:

Species: rat, (male and female)

Application Route: Oral

Exposure time: 104 wk

Dose: 10, 50, 100, 500, 1000, 1500mg/L

Frequency of Treatment: daily ad libitum

Method: OECD Test Guideline 451

Result: Ambiguous

GLP: No data available

Test substance: Information given is based on data obtained from similar substances.

Remarks: Category 2

Carcinogenicity - Assessment : Suspected human carcinogens

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

50-00-0:

Species: rat, (male and female)
Application Route: Oral
Exposure time: 104 wk
Dose: 10 - 1500mg/L
Frequency of Treatment: daily ad libitum
Result: evidence of carcinogenic activity

Carcinogenicity - Assessment : Suspected human carcinogens

Reproductive toxicity

Components:

30525-89-4:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

Reproductive toxicity - Assessment : Fertility classification not possible from current data.
Embryotoxicity classification not possible from current data.

50-00-0:

Effects on foetal development : Species: rat
Application Route: Inhalation
Dose: 0, 2, 5, 10 ppm
Duration of Single Treatment: 9 d
Frequency of Treatment: 6 hr/day
General Toxicity Maternal: NOAEC: 5 ppm
Developmental Toxicity: NOAEC: 10 ppm
Method: OECD Test Guideline 414
Result: No teratogenic effects.
GLP: yes

Reproductive toxicity - Assessment : Animal testing did not show any effects on foetal development.

STOT - single exposure

Product:No data available

Components:

30525-89-4:

| Exposure routes: | Target Organs: | Assessment: | Remarks: |
|------------------|-------------------|--|----------|
| Inhalation | Respiratory Tract | May cause respiratory irritation., The substance or mixture is classified as specific target or- | |



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | | | |
|--|--|--|--|
| | | gan toxicant, single exposure, category 3 with respiratory tract irritation. | |
|--|--|--|--|

50-00-0: No data available

STOT - repeated exposure

Product: No data available

Components:

30525-89-4: No data available

50-00-0: No data available

Repeated dose toxicity

Components:

30525-89-4:

Remarks: This information is not available.

50-00-0:

Species: rat, male

NOAEL: 15 mg/kg

LOAEL: 82 mg/kg

Application Route: Oral

Dose: 0, 1.2, 15, 82 mg/kg bw/day

Method: OECD Test Guideline 453

GLP: yes

Target Organs: Stomach

Repeated dose toxicity - Assessment : Toxic if inhaled., Toxic in contact with skin., Toxic if swallowed., Causes severe skin burns and eye damage.

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

30525-89-4:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 39.1 mg/l
Exposure time: 96 h
Test Type: flow-through test

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

50-00-0:

Toxicity to fish : LC50 (Striped bass (Morone saxatilis)): 6.7 mg/l
Exposure time: 96 h
Test Type: static test
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 5.8 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: no

Toxicity to algae : EC50 (Desmodesmus subspicatus): 3.48 mg/l
End point: Biomass
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: no

Persistence and degradability

Components:

30525-89-4:

Biodegradability : Remarks: No data available

50-00-0:

Biodegradability : Biodegradation: 100 %
Exposure time: 4 d
Method: OECD Test Guideline 301C
GLP: no
Remarks: Readily biodegradable



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

Bioaccumulative potential

Components:

50-00-0:

Partition coefficient: n-octanol/water : Pow: 0.35 (25 °C)

Mobility in soil

No data available

Other adverse effects

No data available

Product:

| | |
|-----------------------------------|---|
| Regulation | 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances |
| Remarks | This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). |
| Additional ecological information | : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects. |

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.
For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXO's Environmental Services Group at 800-637-7922.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

IATA (International Air Transport Association): UN2213, PARAFORMALDEHYDE, 4.1, III, Flash Point: 70 °C(158 °F)



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

IMDG (International Maritime Dangerous Goods): UN2213, PARAFORMALDEHYDE, 4.1, III

DOT (Department of Transportation): UN2213, PARAFORMALDEHYDE, 4.1, III

SECTION 15. REGULATORY INFORMATION

OSHA Hazards : Carcinogen, Harmful by ingestion., Moderate skin irritant, Severe eye irritant, Moderate respiratory irritant

WHMIS Classification : D2A: Very Toxic Material Causing Other Toxic Effects
D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|------------------|------------|--------------------|-----------------------------|
| Paraformaldehyde | 30525-89-4 | 1000 | 1031 |

SARA 304 Extremely Hazardous Substances Reportable Quantity

| Components | CAS-No. | Component RQ (lbs) | Calculated product RQ (lbs) |
|--------------|---------|--------------------|-----------------------------|
| Formaldehyde | 50-00-0 | 100 | * |

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 311/312 Hazards : Chronic Health Hazard
Acute Health Hazard
Fire Hazard

SARA 302 : The following components are subject to reporting levels established by SARA Title III, Section 302:

50-00-0 Formaldehyde 0.1 %

SARA 313 : The following components are subject to reporting levels established by SARA Title III, Section 313:

50-00-0 Formaldehyde 0.1 %

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

50-00-0 Formaldehyde 0.1 %



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

The following chemical(s) are listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F):

50-00-0 Formaldehyde 0.1 %

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489):

50-00-0 Formaldehyde 0.1 %

Clean Water Act

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

30525-89-4 Paraformaldehyde 97 %

50-00-0 Formaldehyde 0.1 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

50-00-0 Formaldehyde 0.1 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

50-00-0 Formaldehyde 0 - 0.1 %

Pennsylvania Right To Know

30525-89-4 Paraformaldehyde 91 - 97 %

50-00-0 Formaldehyde 0 - 0.1 %

New Jersey Right To Know

30525-89-4 Paraformaldehyde 91 - 97 %

50-00-0 Formaldehyde 0 - 0.1 %

California Prop 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

50-00-0 Formaldehyde

The components of this product are reported in the following inventories:

| | | |
|--|---|---|
| Switzerland. New notified substances and declared preparations | : | n (Negative listing) (The formulation contains substances listed on the Swiss Inventory) |
| United States TSCA Inventory | : | y (positive listing) (On TSCA Inventory) |
| Canadian Domestic Substances List (DSL) | : | y (positive listing) (All components of this product are on the Canadian DSL.) |

Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | | |
|---|---|---|
| Australia Inventory of Chemical Substances (AICS) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| New Zealand. Inventory of Chemical Substances | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Japan. ENCS - Existing and New Chemical Substances Inventory | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Japan. ISHL - Inventory of Chemical Substances (METI) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Korea. Korean Existing Chemicals Inventory (KECI) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| Philippines Inventory of Chemicals and Chemical Substances (PICCS) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |
| China. Inventory of Existing Chemical Substances in China (IECSC) | : | y (positive listing) (On the inventory, or in compliance with the inventory) |

Safety Data Sheet

Paraformaldehyde 91-93% Prills


Version 1.0

Revision Date: 10/17/2014

SECTION 16. OTHER INFORMATION

Further information

NFPA:



HMIS III:

| | |
|-----------------|----|
| HEALTH | 3* |
| FLAMMABILITY | 2 |
| PHYSICAL HAZARD | 1 |

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO™ Solutions EHS Product Safety Department (1-855-429-2661) MSDS@nexeosolutions.com.

Legacy MSDS: R0003604

Material number:

688930, 663524, 105439, 106067, 87809, 88792, 32562, 20357

| Key or legend to abbreviations and acronyms used in the safety data sheet | | | |
|---|---|-------|---|
| ACGIH | American Conference of Government Industrial Hygienists | LD50 | Lethal Dose 50% |
| AICS | Australia, Inventory of Chemical Substances | LOAEL | Lowest Observed Adverse Effect Level |
| DSL | Canada, Domestic Substances List | NFPA | National Fire Protection Agency |
| NDSL | Canada, Non-Domestic Substances List | NIOSH | National Institute for Occupational Safety & Health |
| CNS | Central Nervous System | NTP | National Toxicology Program |
| CAS | Chemical Abstract Service | NZIoC | New Zealand Inventory of Chemicals |
| EC50 | Effective Concentration | NOAEL | No Observable Adverse Effect Level |
| EC50 | Effective Concentration 50% | NOEC | No Observed Effect Concentration |
| EGEST | EOSCA Generic Exposure | OSHA | Occupational Safety & Health Admin- |



Safety Data Sheet

Paraformaldehyde 91-93% Prills

Version 1.0

Revision Date: 10/17/2014

| | Scenario Tool | | istration |
|--------|--|-------|--|
| EOSCA | European Oilfield Specialty Chemicals Association | PEL | Permissible Exposure Limit |
| EINECS | European Inventory of Existing Chemical Substances | PICCS | Philippines Inventory of Commercial Chemical Substances |
| MAK | Germany Maximum Concentration Values | PRNT | Presumed Not Toxic |
| GHS | Globally Harmonized System | RCRA | Resource Conservation Recovery Act |
| >= | Greater Than or Equal To | STEL | Short-term Exposure Limit |
| IC50 | Inhibition Concentration 50% | SARA | Superfund Amendments and Reauthorization Act. |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| IECSC | Inventory of Existing Chemical Substances in China | TWA | Time Weighted Average |
| ENCS | Japan, Inventory of Existing and New Chemical Substances | TSCA | Toxic Substance Control Act |
| KECI | Korea, Existing Chemical Inventory | UVCB | Unknown or Variable Composition, Complex Reaction Products, and Biological Materials |
| <= | Less Than or Equal To | WHMIS | Workplace Hazardous Materials Information System |
| LC50 | | | Lethal Concentration 50% |